

Talisker Announces Confirmation of Near Surface Bulk Tonnage Gold Mineralization at the Charlotte Zone, Bralorne Gold Project

TORONTO, Feb. 2, 2021 /CNW/ - Talisker Resources Ltd. ("Talisker" or the "Company") (TSX: TSK) (OTCQX: TSKFF) is pleased to announce the confirmation of near-surface bulk tonnage gold mineralization at the Charlotte Zone, located directly above the high-grade veins that are the primary focus of the 2021 resource drill program. Extensive near-surface gold mineralization was first intersected during the Company's validation drill program last year and comprises a series of shallow-dipping, stacked quartz veins.

Key Points:

- Talisker confirms near surface bulk tonnage gold mineralization at the Charlotte Zone from surface to a vertical depth of beyond 250m.
- 25 intersects from 14 drill holes have defined a broad zone with multiple gold-bearing structures over a strike length of 600m, a width of 270m and extending at least 300m down plunge from surface.
- The Charlotte zone has been confirmed by field mapping to outcrop at surface.
- Gold mineralization is hosted by four shallow-dipping, parallel structures that dip approximately 40 degrees to the northwest.
- A 15,000m core relog and re-sample program has been initiated to identify other areas with near-surface bulk-tonnage potential.

While the high-grade veins remain the primary focus of Talisker's resource drill program, the Charlotte Zone presents opportunity for significant previously overlooked additional upside. Given the Charlotte Zone is situated adjacent to and immediately above the high-grade veins, no change to the already outlined 50,000m drill program is required.

Highlights from previously released assay results from the Charlotte Zone are provided below and all results are provided in table 1 below.

Charlotte Zone Highlights (previously released):

- SB-2020-005A: 10.47 g/t gold over 10.30m, from 102.70m to 113.0m
- SB-2020-007: 3.36 g/t gold over 7.50m from 23.05m to 60.55m
- SB-2020-009: 2.56 g/t gold over 14.25m, from 208.00m to 222.25m
- SB-2020-015: 3.96 g/t gold over 20.20m, from 138.00m to 158.00m
- SB-2020-017A: 1.06 g/t gold over 13.55m, from 470.00m to 483.55m
- SB-2020-019: 2.50 g/t gold over 10.00m, from 201.00 to 211.00m
- SB-2020-021: 1.55 g/t gold over 36.95m, from 208.45 to 245.40m
- SB-2020-023: 1.16 g/t gold over 38.00m, from 80.50m to 118.50m
- SB-2020-023: 1.69 g/t gold over 13.35m from 407.00m to 420.35m

Recent results announced on January 19th (SB-2020-021) and earlier today (SB-2020-023) represent 95% true width of the veins given they were drilling perpendicular to the dip of the structure.

Terry Harbort, President and CEO of Talisker commented, "We are extremely excited about the potential optionality that the near surface bulk tonnage gold mineralization discovered at the Charlotte Zone could potentially add to the high-grade gold veins that we are currently focusing on for our resource estimate. Importantly, the vein structures hosting the gold mineralization at Charlotte occur as shallow-dipping vein structures that bode well for any future bulk tonnage/open pit economic assessment. Furthermore, the widths quoted from recent drilling at Charlotte were drilled perpendicular to the orientation of the vein structures and therefore represent 95% true widths."

While the Charlotte Zone was only recently identified by drilling conducted by Talisker last year, a detailed review of the historical drill database has revealed other zones of possible near surface gold mineralization which were not followed-up by previous operators due to their selective focus on higher-grade material at depth. Samples from this historic drill core are currently awaiting assay at the laboratory and will aid in the rapid confirmation of additional zones.

To aid in the clarity of drill results targeting both high grade and bulk tonnage targets, the technical team has provided a new template and naming convention for the Bralorne Gold Project that will be used for future press releases. Attached to this press release are three figures that illustrate the Charlotte Zone:

- Figure 1 shows the Bralorne Gold Project and the six zones demarking the high-grade vein zones at depth - Fergusson, King, Bralorne West, Bralorne East, Pioneer and Pioneer Extension, as well as the near surface bulk tonnage Charlotte Zone (in red), nearby surface infrastructure and major quartz vein structures in white projected to surface. The 50,000m drill program has also been outlined into their respective zones.
- Figure 2 shows the approximate target depths of near surface bulk tonnage gold mineralization (surface to 300m), high grade veins targeted for the current resource drill program (300m to 750m) and high-grade veins at depth that could be drilled but will not be the focus of resource infill drilling in 2021 (750m to ~2,000m).
- Figure 3 shows drill hole traces of drill holes into the Charlotte Zone to date.

While the Charlotte Zone presents a significant potential to provide optionality to any future economic considerations on the Bralorne Gold Project and overall growth of the Company, Talisker has not changed its view on the high-grade veins below. Instead, the Charlotte Zone could provide the opportunity to accelerate its previously announced resource drill program given the shallower drilling and likely wider drill spacing required to achieve a *National Instrument* 43-101 compliant resource estimate at the Bralorne Gold Project.

Bralorne Gold Project						
Drill Holes SB-2020-005A, 006, 007, 008, 009, 011A, 013, 015, 017, 017A, 017AW1, 019, 021						
Diamond Drill Hole Name	From (m)	To (m)	Interval (m)	Au (g/t)	Interpreted Structure	Method Reported
SB-2020-005A	102.70	103.30	0.60	20.80	Charlotte Zone	Au-SCR24
SB-2020-005A	103.30	104.80	1.50	0.62		Au-AA24
SB-2020-005A	104.80	106.30	1.50	1.14		Au-AA24
SB-2020-005A	106.30	107.80	1.50	57.80		Au-SCR24
SB-2020-005A	107.80	109.30	1.50	1.44		Au-AA24
SB-2020-005A	109.30	110.75	1.45	1.66		Au-AA24
SB-2020-005A	110.75	111.50	0.75	1.61		Au-AA24
SB-2020-005A	111.50	113.00	1.50	0.16		Au-AA24
SB-2020-006	257.15	258.00	0.85	0.16	Charlotte FW Zone	Au-AA24
SB-2020-006	258.00	258.55	0.55	0.31		Au-AA24
SB-2020-006	258.55	259.05	0.50	0.19		Au-AA24
SB-2020-006	259.05	259.65	0.60	0.34		Au-AA24
SB-2020-006	259.65	260.65	1.00	0.13		Au-AA24
SB-2020-006	260.65	261.15	0.50	0.16		Au-AA24
SB-2020-006	261.15	261.65	0.50	0.61		Au-AA24
SB-2020-007	53.05	54.05	1.00	0.31	Charlotte HW Zone	Au-AA24
SB-2020-007	54.05	54.55	0.50	0.38		Au-AA24
SB-2020-007	54.55	55.15	0.60	1.88		Au-AA24
SB-2020-007	55.15	55.80	0.65	0.11		Au-AA24
SB-2020-007	55.80	56.40	0.60	0.68		Au-AA24
SB-2020-007	56.40	57.35	0.95	3.64		Au-SCR24
SB-2020-007	57.35	58.00	0.65	28.90		Au-SCR24

SB-2020-007	58.00	59.05	1.05	0.05		Au-AA24
SB-2020-007	59.05	59.55	0.50	0.48		Au-AA24
SB-2020-007	59.55	60.05	0.50	0.02		Au-AA24
SB-2020-007	60.05	60.55	0.50	1.06		Au-AA24
SB-2020-008	249.60	250.20	0.60	0.43	Charlotte Zone	Au-AA24
SB-2020-008	250.20	251.00	0.80	1.79		Au-AA24
SB-2020-008	251.00	251.60	0.60	1.88		Au-AA24
SB-2020-008	251.60	252.20	0.60	0.92		Au-AA24
SB-2020-008	252.20	253.00	0.80	0.42		Au-AA24
SB-2020-008	253.00	254.00	1.00	0.15		Au-AA24
SB-2020-008	254.00	255.00	1.00	0.43		Au-AA24
SB-2020-009	208.00	208.50	0.50	0.17	Charlotte Zone	Au-AA24
SB-2020-009	208.50	209.15	0.65	0.05		Au-AA24
SB-2020-009	209.15	209.65	0.50	0.81		Au-AA24
SB-2020-009	209.65	210.50	0.85	0.70		Au-AA24
SB-2020-009	210.50	211.00	0.50	1.64		Au-AA24
SB-2020-009	211.00	211.75	0.75	4.88		Au-SCR24
SB-2020-009	211.75	212.50	0.75	3.47		Au-SCR24
SB-2020-009	212.50	213.40	0.90	5.69		Au-SCR24
SB-2020-009	213.40	213.90	0.50	4.86		Au-SCR24
SB-2020-009	213.90	214.40	0.50	3.98		Au-SCR24
SB-2020-009	214.40	215.00	0.60	5.56		Au-SCR24
SB-2020-009	215.00	215.50	0.50	3.10		Au-SCR24
SB-2020-009	215.50	216.15	0.65	3.78		Au-SCR24
SB-2020-009	216.15	216.65	0.50	2.91		Au-AA24
SB-2020-009	216.65	217.15	0.50	6.35		Au-SCR24
SB-2020-009	217.15	217.65	0.50	1.60		Au-AA24
SB-2020-009	217.65	218.45	0.80	1.85		Au-AA24
SB-2020-009	218.45	219.20	0.75	3.47		Au-SCR24
SB-2020-009	219.20	220.25	1.05	0.97		Au-AA24
SB-2020-009	220.25	220.75	0.50	1.09		Au-AA24
SB-2020-009	220.75	221.25	0.50	0.16		Au-AA24
SB-2020-009	221.25	221.75	0.50	0.06		Au-AA24
SB-2020-009	221.75	222.25	0.50	0.49		Au-AA24
SB-2020-011A	288.00	289.50	1.50	0.37	Charlotte Zone	Au-AA24
SB-2020-011A	289.50	290.00	0.50	0.56		Au-AA24
SB-2020-011A	290.00	290.50	0.50	5.61		Au-SCR24
SB-2020-011A	290.50	291.25	0.75	1.80		Au-AA24
SB-2020-011A	291.25	292.25	1.00	1.68		Au-AA24
SB-2020-011A	292.25	292.75	0.50	0.04		Au-AA24
SB-2020-011A	292.75	293.25	0.50	0.08		Au-AA24
SB-2020-011A	293.25	293.75	0.50	0.16		Au-AA24
SB-2020-011A	293.75	294.25	0.50	0.16		Au-AA24
SB-2020-011A	294.25	294.75	0.50	0.08		Au-AA24
SB-2020-011A	294.75	295.25	0.50	0.86		Au-AA24
SB-2020-011A	295.25	295.75	0.50	2.41		Au-AA24
SB-2020-011A	295.75	296.25	0.50	1.66		Au-AA24
SB-2020-011A	296.25	296.75	0.50	0.63		Au-AA24
SB-2020-011A	296.75	297.25	0.50	1.45		Au-AA24
SB-2020-011A	297.25	297.75	0.50	0.61		Au-AA24
SB-2020-013	150.75	151.25	0.50	0.10	Knight Zone	Au-AA24
SB-2020-013	151.25	151.75	0.50	0.74		Au-AA24
SB-2020-013	151.75	152.50	0.75	0.22		Au-AA24
SB-2020-013	152.50	153.25	0.75	0.62		Au-AA24
SB-2020-013	153.25	153.90	0.65	3.82		Au-SCR24
SB-2020-013	153.90	154.50	0.60	7.52		Au-SCR24
SB-2020-013	154.50	155.20	0.70	0.12		Au-AA24
SB-2020-013	155.20	156.20	1.00	0.01		Au-AA24
SB-2020-013	156.20	156.90	0.70	0.11		Au-AA24
SB-2020-013	156.90	157.55	0.65	0.16		Au-AA24
SB-2020-013	157.55	158.20	0.65	0.88		Au-AA24
SB-2020-013	158.20	158.90	0.70	1.76		Au-AA24
SB-2020-013	158.90	159.40	0.50	2.55		Au-AA24
SB-2020-013	159.40	160.10	0.70	2.26		Au-AA24
SB-2020-013	160.10	160.60	0.50	0.21		Au-AA24
SB-2020-015	138.00	139.00	1.00	1.60		Au-AA24
SB-2020-015	139.00	139.70	0.70	1.08		Au-AA24
SB-2020-015	139.70	140.60	0.90	0.62		Au-AA24
SB-2020-015	140.60	141.20	0.60	2.79		Au-AA24
SB-2020-015	141.20	142.00	0.80	3.78		Au-SCR24
SB-2020-015	142.00	142.50	0.50	4.32		Au-SCR24
SB-2020-015	142.50	143.20	0.70	6.03		Au-SCR24
SB-2020-015	143.20	143.70	0.50	3.38		Au-SCR24
SB-2020-015	143.70	144.20	0.50	3.30		Au-SCR24
SB-2020-015	144.20	145.00	0.80	1.69		Au-AA24
SB-2020-015	145.00	145.70	0.70	1.81		Au-AA24
SB-2020-015	145.70	146.55	0.85	5.02		Au-SCR24
SB-2020-015	146.55	147.10	0.55	1.81		Au-AA24
SB-2020-015	147.10	147.65	0.55	2.60		Au-AA24

SB-2020-015	147.65	148.60	0.95	1.21	Charlotte Zone	Au-AA24
SB-2020-015	148.60	149.20	0.60	6.76		Au-SCR24
SB-2020-015	149.20	150.00	0.80	11.95		Au-SCR24
SB-2020-015	150.00	150.70	0.70	4.47		Au-SCR24
SB-2020-015	150.70	151.30	0.60	12.80		Au-SCR24
SB-2020-015	151.30	152.00	0.70	12.00		Au-SCR24
SB-2020-015	152.00	152.60	0.60	8.18		Au-SCR24
SB-2020-015	152.60	153.20	0.60	8.80		Au-SCR24
SB-2020-015	153.20	154.00	0.80	3.29		Au-SCR24
SB-2020-015	154.00	154.70	0.70	0.72		Au-AA24
SB-2020-015	154.70	155.20	0.50	0.43		Au-AA24
SB-2020-015	155.20	155.90	0.70	3.64		Au-SCR24
SB-2020-015	155.90	156.65	0.75	3.05		Au-SCR24
SB-2020-015	156.65	157.40	0.75	0.15		Au-AA24
SB-2020-015	157.40	158.20	0.80	1.13		Au-AA24
SB-2020-015	165.60	166.25	0.65	0.26	Charlotte FW Zone	Au-AA24
SB-2020-015	166.25	166.80	0.55	0.09		Au-AA24
SB-2020-015	166.80	167.50	0.70	0.14		Au-AA24
SB-2020-015	167.50	168.00	0.50	0.32		Au-AA24
SB-2020-015	168.00	168.50	0.50	0.09		Au-AA24
SB-2020-015	168.50	169.00	0.50	0.10		Au-AA24
SB-2020-015	169.00	169.50	0.50	0.62		Au-AA24
SB-2020-015	169.50	170.00	0.50	0.24		Au-AA24
SB-2020-015	170.00	170.50	0.50	0.16		Au-AA24
SB-2020-015	170.50	171.10	0.60	0.18		Au-AA24
SB-2020-015	171.10	171.80	0.70	0.18		Au-AA24
SB-2020-015	171.80	173.00	1.20	0.25		Au-AA24
SB-2020-015	173.00	174.00	1.00	0.15		Au-AA24
SB-2020-015	174.00	175.10	1.10	0.02		Au-AA24
SB-2020-015	175.10	175.60	0.50	0.41		Au-AA24
SB-2020-015	187.70	188.70	1.00	0.75		Au-AA24
SB-2020-015	188.70	189.35	0.65	3.68		Au-AA24
SB-2020-015	189.35	189.85	0.50	0.44		Au-AA24
SB-2020-015	189.85	190.70	0.85	0.01		Au-AA24
SB-2020-015	190.70	191.40	0.70	0.01		Au-AA24
SB-2020-015	191.40	191.95	0.55	0.21	Au-AA24	
SB-2020-015	191.95	192.60	0.65	0.71	Au-AA24	
SB-2020-017	204.00	204.60	0.60	0.55	Charlotte HW Zone	Au-AA24
SB-2020-017	204.60	205.30	0.70	0.51		Au-AA24
SB-2020-017	205.30	206.00	0.70	0.23		Au-AA24
SB-2020-017	206.00	206.50	0.50	0.01		Au-AA24
SB-2020-017	206.50	207.00	0.50	0.01		Au-AA24
SB-2020-017	207.00	208.00	1.00	0.00		Au-AA24
SB-2020-017	208.00	209.30	1.30	0.01		Au-AA24
SB-2020-017	209.30	209.80	0.50	0.93	Au-AA24	
SB-2020-017A	470.00	470.50	0.50	0.23	Knight Zone	Au-AA24
SB-2020-017A	470.50	471.10	0.60	0.20		Au-AA24
SB-2020-017A	471.10	471.90	0.80	1.25		Au-AA24
SB-2020-017A	471.90	472.40	0.50	2.76		Au-AA24
SB-2020-017A	472.40	473.20	0.80	0.18		Au-AA24
SB-2020-017A	473.20	474.15	0.95	0.17		Au-AA24
SB-2020-017A	474.15	474.80	0.65	0.14		Au-AA24
SB-2020-017A	474.80	475.30	0.50	0.29		Au-AA24
SB-2020-017A	475.30	476.40	1.10	0.14		Au-AA24
SB-2020-017A	476.40	477.00	0.60	0.18		Au-AA24
SB-2020-017A	477.00	477.50	0.50	0.15		Au-AA24
SB-2020-017A	477.50	478.00	0.50	0.06		Au-AA24
SB-2020-017A	478.00	478.50	0.50	11.95		Au-GRA22
SB-2020-017A	478.50	479.00	0.50	0.10		Au-AA24
SB-2020-017A	479.00	479.50	0.50	2.18		Au-AA24
SB-2020-017A	479.50	480.00	0.50	2.26		Au-AA24
SB-2020-017A	480.00	480.80	0.80	0.55		Au-AA24
SB-2020-017A	480.80	481.80	1.00	1.28		Au-AA24
SB-2020-017A	481.80	482.65	0.85	0.22		Au-AA24
SB-2020-017A	482.65	483.55	0.90	0.72		Au-AA24
SB-2020-017AW1	461.05	461.95	0.90	0.15	Knight Zone	Au-AA24
SB-2020-017AW1	461.95	462.50	0.55	0.32		Au-AA24
SB-2020-017AW1	462.50	463.00	0.50	1.85		Au-AA24
SB-2020-017AW1	463.00	463.60	0.60	3.30		Au-AA24
SB-2020-017AW1	463.60	464.15	0.55	6.07		Au-AA24
SB-2020-017AW1	464.15	464.70	0.55	2.22		Au-AA24
SB-2020-017AW1	464.70	466.00	1.30	1.30		Au-AA24
SB-2020-019	183.50	184.15	0.65	1.99	Charlotte HW Zone	Au-AA24
SB-2020-019	184.15	184.80	0.65	0.38		Au-AA24
SB-2020-019	184.80	185.30	0.50	1.67		Au-AA24
SB-2020-019	185.30	185.80	0.50	2.50		Au-AA24
SB-2020-019	185.80	186.45	0.65	2.41		Au-AA24
SB-2020-019	186.45	187.50	1.05	0.14		Au-AA24
SB-2020-019	187.50	188.10	0.60	0.45		Au-AA24
SB-2020-019	188.10	188.65	0.55	1.31		Au-AA24

SB-2020-019	188.65	189.45	0.80	0.17		Au-AA24	
SB-2020-019	189.45	190.35	0.90	3.16		Au-AA24	
SB-2020-019	190.35	191.00	0.65	1.26		Au-AA24	
SB-2020-019	191.00	191.55	0.55	0.49		Au-AA24	
SB-2020-019	201.00	201.65	0.65	0.38	Charlotte HW Zone	Au-AA24	
SB-2020-019	201.65	202.20	0.55	8.91		Au-AA24	
SB-2020-019	202.20	203.00	0.80	3.04		Au-AA24	
SB-2020-019	203.00	203.55	0.55	5.12		Au-AA24	
SB-2020-019	203.55	204.75	1.20	1.17		Au-AA24	
SB-2020-019	204.75	205.25	0.50	0.08		Au-AA24	
SB-2020-019	205.25	206.50	1.25	0.02		Au-AA24	
SB-2020-019	206.50	207.00	0.50	1.49		Au-AA24	
SB-2020-019	207.00	207.60	0.60	6.44		Au-AA24	
SB-2020-019	207.60	208.10	0.50	4.09		Au-AA24	
SB-2020-019	208.10	208.60	0.50	3.27		Au-AA24	
SB-2020-019	208.60	209.30	0.70	2.50		Au-AA24	
SB-2020-019	209.30	210.15	0.85	1.83		Au-AA24	
SB-2020-019	210.15	211.00	0.85	1.85		Au-AA24	
SB-2020-019	217.55	218.05	0.50	3.10		Au-AA24	
SB-2020-019	218.05	218.60	0.55	0.11		Au-AA24	
SB-2020-019	218.60	219.45	0.85	0.81		Au-AA24	
SB-2020-019	219.45	220.20	0.75	1.37		Au-AA24	
SB-2020-019	259.00	259.85	0.85	1.06		Charlotte Zone	Au-AA24
SB-2020-019	259.85	260.50	0.65	1.81	Au-AA24		
SB-2020-019	260.50	261.00	0.50	0.98	Au-AA24		
SB-2020-019	261.00	262.00	1.00	1.05	Au-AA24		
SB-2020-019	262.00	263.00	1.00	0.29	Au-AA24		
SB-2020-019	263.00	263.70	0.70	0.86	Au-AA24		
SB-2020-019	263.70	264.35	0.65	0.14	Au-AA24		
SB-2020-019	264.35	265.00	0.65	0.18	Au-AA24		
SB-2020-019	265.00	266.00	1.00	0.06	Au-AA24		
SB-2020-019	266.00	267.00	1.00	0.21	Au-AA24		
SB-2020-021	78.85	79.50	0.65	1.75	Charlotte HW Zone	Au-AA24	
SB-2020-021	79.50	80.00	0.50	5.42		Au-AA24	
SB-2020-021	80.00	80.50	0.50	3.59		Au-AA24	
SB-2020-021	80.50	81.00	0.50	0.30		Au-AA24	
SB-2020-021	81.00	81.50	0.50	0.26		Au-AA24	
SB-2020-021	81.50	82.00	0.50	0.32		Au-AA24	
SB-2020-021	82.00	83.00	1.00	0.50		Au-AA24	
SB-2020-021	83.00	84.00	1.00	0.32		Au-AA24	
SB-2020-021	84.00	85.50	1.50	0.22		Au-AA24	
SB-2020-021	85.50	86.20	0.70	0.03		Au-AA24	
SB-2020-021	86.20	86.70	0.50	1.19	Au-AA24		
SB-2020-021	208.45	209.10	0.65	1.27	Charlotte Zone	Au-AA24	
SB-2020-021	209.10	210.15	1.05	0.69		Au-AA24	
SB-2020-021	210.15	211.05	0.90	0.26		Au-AA24	
SB-2020-021	211.05	212.20	1.15	0.12		Au-AA24	
SB-2020-021	212.20	213.30	1.10	0.04		Au-AA24	
SB-2020-021	213.30	214.00	0.70	0.69		Au-AA24	
SB-2020-021	214.00	214.50	0.50	1.06		Au-AA24	
SB-2020-021	214.50	215.20	0.70	0.35		Au-AA24	
SB-2020-021	215.20	215.70	0.50	0.89		Au-AA24	
SB-2020-021	215.70	216.45	0.75	1.11		Au-AA24	
SB-2020-021	216.45	217.00	0.55	0.58		Au-AA24	
SB-2020-021	217.00	217.50	0.50	0.16		Au-AA24	
SB-2020-021	217.50	218.00	0.50	0.35		Au-AA24	
SB-2020-021	218.00	218.65	0.65	0.60		Au-AA24	
SB-2020-021	218.65	219.45	0.80	0.81		Au-AA24	
SB-2020-021	219.45	219.95	0.50	0.53		Au-AA24	
SB-2020-021	219.95	221.00	1.05	1.22		Au-AA24	
SB-2020-021	221.00	222.00	1.00	0.00		No Recovery	
SB-2020-021	222.00	223.35	1.35	0.68		Au-AA24	
SB-2020-021	223.35	224.20	0.85	2.89		Au-AA24	
SB-2020-021	224.20	224.70	0.50	4.20		Au-AA24	
SB-2020-021	224.70	225.50	0.80	1.50		Au-AA24	
SB-2020-021	225.50	226.00	0.50	1.57		Au-AA24	
SB-2020-021	226.00	226.80	0.80	2.04		Au-AA24	
SB-2020-021	226.80	227.30	0.50	22.60		Au-GRA22	
SB-2020-021	227.30	228.00	0.70	2.88		Au-AA24	
SB-2020-021	228.00	228.85	0.85	2.89		Au-AA24	
SB-2020-021	228.85	229.75	0.90	1.35		Au-AA24	
SB-2020-021	229.75	230.70	0.95	2.59		Au-AA24	
SB-2020-021	230.70	231.25	0.55	2.86		Au-AA24	
SB-2020-021	231.25	232.00	0.75	2.70		Au-AA24	
SB-2020-021	232.00	233.20	1.20	1.03		Au-AA24	
SB-2020-021	233.20	234.50	1.30	0.68		Au-AA24	
SB-2020-021	234.50	235.60	1.10	1.81		Au-AA24	
SB-2020-021	235.60	236.65	1.05	1.01		Au-AA24	
SB-2020-021	236.65	237.20	0.55	2.01		Au-AA24	
SB-2020-021	237.20	238.20	1.00	1.34		Au-AA24	
SB-2020-021	238.20	239.20	1.00	2.07		Au-AA24	

SB-2020-021	239.20	240.30	1.10	2.57	Au-AA24
SB-2020-021	240.30	241.10	0.80	2.83	Au-AA24
SB-2020-021	241.10	242.05	0.95	0.69	Au-AA24
SB-2020-021	242.05	243.00	0.95	0.52	Au-AA24
SB-2020-021	243.00	244.00	1.00	1.29	Au-AA24
SB-2020-021	244.00	244.50	0.50	0.54	Au-AA24
SB-2020-021	244.50	245.40	0.90	0.12	Au-AA24

Notes: Diamond drill hole SB-2020-005A has collar orientation of Azimuth 154; Dip -56. Diamond drill hole SB-2020-006 has collar orientation of Azimuth 174; Dip -46. Diamond drill hole SB-2020-007 has collar orientation of Azimuth 120; Dip -60. Diamond drill hole SB-2020-008 has collar orientation of Azimuth 197; Dip -53. Diamond drill hole SB-2020-009 has collar orientation of Azimuth 199; Dip -61. Diamond drill hole SB-2020-011A has collar orientation of Azimuth 215; Dip -53. Diamond drill hole SB-2020-013 has collar orientation of Azimuth 160; Dip -45. Diamond drill hole SB-2020-015 has collar orientation of Azimuth 205; Dip -52. Diamond drill hole SB-2020-017 has collar orientation of Azimuth 193; Dip -50. Diamond drill holes SB-2020-017A and SB-2020-017AW1 have collar orientations of Azimuth 193; Dip -48. Diamond drill hole SB-2020-019 has collar orientation of Azimuth 193; Dip -55. Diamond drill hole SB-2020-021 has collar orientation of Azimuth 187; Dip -50. True widths are estimated 40 - 90% of intercept lengths and are based on oriented core measurements where available. Method reported includes the most up to date information as of this press release

Talisker is providing an opportunity for shareholders and other interested parties to participate in a Webinar to be held at 4 pm ET on Thursday, February 4th. To register, please click on the following link – https://us02web.zoom.us/webinar/register/WN_86qwSGqUTLCyEBO2w2SM3w. After registering, you will receive a confirmation email containing information about joining the webinar.

About Talisker Resources Ltd.

Talisker (taliskerresources.com) is a junior resource company involved in the exploration of gold projects in British Columbia, Canada. Talisker's projects include the Bralorne Gold Complex, an advanced stage project with significant exploration potential from a historical high-grade producing gold mine as well as its Spences Bridge Project where the Company holds ~85% of the emerging Spences Bridge Gold Belt and several other early-stage Greenfields projects. With its properties comprising 278,364 hectares over 256 claims, three leases and 198 crown grant claims, Talisker is a dominant exploration player in the south-central British Columbia. The Company is well funded to advance its aggressive systematic exploration program at its projects.

Qualified Person

The technical information contained in this news release relating to the drill results at the Bralorne Gold Project has been approved by Leonardo de Souza (BSc, AusIMM (CP) Membership 224827), Talisker's Vice President, Exploration and Resource Development, who is a "qualified person" within the meaning of National Instrument 43-101, Standards of Disclosure for Mineral Projects.

Sample Preparation and QAQC

Drill core at the Bralorne Gold Project is drilled in HQ to NQ size ranges (63.5mm and 47.6mm respectively). Drill core samples are minimum 50 cm and maximum 160 cm long along the core axis. Samples are focused on an interval of interest such as a vein or zone of mineralization. Shoulder samples bracket the interval of interest such that a total sampled core length of not less than 3 m both above and below the interval of interest must be assigned. Sample QAQC measures of unmarked certified reference materials (CRMs), blanks, and duplicates are inserted into the sample sequence and make up 9% of the samples submitted to the lab for holes reported in this release.

Sample preparation and analyses is carried out by ALS Global, at their laboratory in North Vancouver, British Columbia, Canada. Drill core sample preparation includes drying in an oven at a maximum temperature of 60°C, fine crushing of the sample to at least 70% passing less than 2 mm, sample splitting using a riffle splitter, and pulverizing a 250 g split to at least 85% passing 75 microns (code PREP-31).

Gold and in diamond drill core is analysed by fire assay and atomic absorption spectroscopy (AAS) of a 50g sample (code Au-AA24), while multi-element chemistry is analysed by 4-Acid digestion of a 0.25 g sample split with detection by inductively coupled plasma mass spectrometer (ICP-MS) for 48 elements (Ag, Al, As, Ba, Be, Bi, Ca, Cd, Ce, Co, Cr, Cs, Cu, Fe, Ga, Ge, Hf, In, K, La, Li, Mg,

Mn, Mo, Na, Nb, Ni, P, Pb, Rb, Re, S, Sb, Sc, Se, Sn, Sr, Ta, Te, Th, Ti, Tl, U, V, W, Y, Zn, Zr).

Gold assay technique Au-AA24 has an upper detection limit of 10ppm. Any sample that produces an over-limit gold value via the Au-AA24 technique is sent for gravimetric finish via method Au-GRA22 which has an upper detection limit of 1,000 ppm Au. Samples where visible gold was observed are sent directly to screen metallica analysis and all samples that fire assay above 3 ppm Au are re-analysed with method Au-SCR24 which employs a 1kg pulp screened to 100 microns with assay of the entire oversize fraction and duplicate 50g assays on the undersize fraction. Where possible all samples initially sent to screen metallica processing will also be re-run through the fire assay with gravimetric finish provided there is enough material left for further processing.

Caution Regarding Forward Looking Statements

Certain statements contained in this press release constitute forward-looking information. These statements relate to future events or future performance. The use of any of the words "could", "intend", "expect", "believe", "will", "projected", "estimated" and similar expressions and statements relating to matters that are not historical facts are intended to identify forward-looking information and are based on Talisker's current belief or assumptions as to the outcome and timing of such future events. Actual future results may differ materially. In particular, this release contains forward-looking information relating to, among other things, the operations of the Company and the timing which could be affected by the current global COVID-19 pandemic. Those assumptions and factors are based on information currently available to Talisker. Although such statements are based on reasonable assumptions of Talisker's management, there can be no assurance that any conclusions or forecasts will prove to be accurate.

While Talisker considers these assumptions to be reasonable based on information currently available, they may prove to be incorrect. Forward looking information involves known and unknown risks, uncertainties and other factors which may cause the actual results, performance or achievements to be materially different from any future results, performance or achievements expressed or implied by the forward-looking information. Such factors include risks inherent in the exploration and development of mineral deposits, including risks relating to changes in project parameters as plans continue to be redefined, risks relating to variations in grade or recovery rates, risks relating to changes in mineral prices and the worldwide demand for and supply of minerals, risks related to increased competition and current global financial conditions and the COVID-19 pandemic, access and supply risks, reliance on key personnel, operational risks, and regulatory risks, including risks relating to the acquisition of the necessary licenses and permits, financing, capitalization and liquidity risks.

The forward-looking information contained in this release is made as of the date hereof, and Talisker is not obligated to update or revise any forward-looking information, whether as a result of new information, future events or otherwise, except as required by applicable securities laws. Because of the risks, uncertainties and assumptions contained herein, investors should not place undue reliance on forward-looking information. The foregoing statements expressly qualify any forward-looking information contained herein.




Figure 1: Map of the Bralorne Gold Project showing major high-grade vein structures projected to surface (white) and surface infrastructure. (CNW Group/Talisker Resources Ltd)




Figure 2: Long section of the Bralorne Gold Project showing the relative target depths for 1) near-surface bulk tonnage gold mineralization (surfacar to 300m), high-grade veins targeted for resource drilling in 2021 (300m to 700m) and high-grade veins at depth that could be drilled in 2021 but will not be the focus of the 2021 resource drill program (700m to ~2,000m). (CNW Group/Talisker Resources Ltd)




Figure 3 shows drill hole traces of drill holes into the Charlotte Zone to date. (CNW Group/Talisker Resources Ltd)

SOURCE Talisker Resources Ltd

View original content to download multimedia:

<http://www.newswire.ca/en/releases/archive/February2021/02/c7246.html>

%SEDAR: 00005798E

For further information: Terry Harbort, President & CEO, Terry.harbort@taliskerresources.com, +1 416 361 2808; Mick Carew, VP, Strategic and Corporate Development, mick.carew@taliskerresources.com, +1 604 803 7711

CO: Talisker Resources Ltd

CNW 07:15e 02-FEB-21