

Talisker Intersects 111.00 g/t Au over 0.6 m within 30.83 g/t Au over 2.35 metres, from the 2026 Bralorne Gold Project Resource Conversion Program

Toronto, Ontario, September 1, 2026 – Talisker Resources Ltd. (“**Talisker**” or the “**Company**”) (TSX:TSK | OTCQB:TSKFF) is pleased to announce results from an additional 30 drill holes from the 2026 Bralorne Gold Project resource conversion program, following the previously reported first 45 drill holes, predominantly targeting dip and strike extensions in the major ore veins at its currently producing Mustang Mine.

Highlights from the additional 30 drill holes include:

- SB-2026-021 - 14.80 g/t Au over 0.80 m within 6.73 g/t Au over 2.20 m on the BK Splay Vein
- SB-2026-023 - 21.30 g/t Au over 0.50 m within 5.22 g/t Au over 2.20 m on the BK Vein
- SB-2026-028 - 17.10 g/t Au over 0.50 m within 7.66 g/t Au over 2.35 m on the BK Vein
- UB-2026-026 - 26.50 g/t Au over 0.55 m within 9.20 g/t Au over 2.25 m on the Alhambra Vein
- UB-2026-027A - 8.09 g/t Au over 0.65 m within 5.72 g/t Au over 3.55 m on the M2 Vein
- UB-2026-027A - 19.50 g/t Au over 0.50 m within 10.52 g/t Au over 3.40 m on the M2 Vein
- UB-2026-033 - 21.90 g/t Au over 1.00 m within 12.00 g/t Au over 2.00 m on the BK Vein
- UB-2026-034A - 111.00 g/t Au over 0.60 m within 30.83 g/t Au over 2.35 m on the BK Vein
- UB-2026-035 - 29.50 g/t Au over 0.50 m within 7.00 g/t Au over 2.25 m on the Alhambra Vein
- UB-2026-042 - 16.30 g/t Au over 0.65 m within 7.18 g/t Au over 2.50 m on the 55 Vein
- UB-2026-044 - 20.10 g/t Au over 0.50 m within 5.12 g/t Au over 2.00 m on the 55 Vein

Up to and including data in this news release, the total drilling at the Mustang Mine in 2026 is 21,143m in 75 drill holes. The resource conversion drill program is focused on infill drilling of the Alhambra, BK, and BK-9870 veins and Bralorne West’s 101, 55 HW, 276, and 55 veins, all within the Mustang Mine. A video of the Mustang and Bralorne West development is available at this [link](#).

Underground mine development continues in the Bralorne West zone, with the first underground diamond drill bay now being actively drilled.

Kyle Orr, Talisker’s Vice President Exploration commented, “In addition to the strong results in this release, we’re also very excited about the initial observations of the underground infill drilling in Bralorne West zone currently in progress. Results from those initial holes will be ready for our next release.”

In addition to the major infill targeted veins, this release highlights several high-grade veins beyond (north of) the BK-9870 vein, and south of the King vein in Mustang. Initial review indicates two distinct orientations of veins in this zone - a series of relatively flat-lying, northwest-dipping “M” Veins, interpreted as vertically stacked veins, and a second set of moderately to steeply west-dipping veins characterized by increased shearing and gouge that may be associated with the Empire and No. 1 Faults. These structures may occur frequently between the BK-9870 and King Veins, highlighting potential for additional

mineralized vein development. Further drilling is required to better define and model these structures. Veins intercepts that have potential economic grade but require additional data before initial modelling are classified as “untargeted” in the table below.

All drill holes in this release are located in the Mustang Mine and hosted in diorite and/or intermediate to felsic dyke. Major vein structures intersected are orogenic quartz-carbonate veins with banded sulfide septae. Crack-seal septae host fine-grained arsenopyrite and pyrite mineralization. Alteration halos consist of strong silica – sericite $\pm$ mariposite alteration with disseminated sulfides.

Bralorne Gold Project - 2026 Diamond Drilling Top Intercepts Table					
Drill Hole Name	From (m)	To (m)	Interval (m)	Au (g/t)	Interpreted Structure
SB-2026-021	267.30	268.00	0.70	4.61	Vein Halo
SB-2026-021	268.00	268.70	0.70	5.16	Vein Halo
SB-2026-021	268.70	269.50	0.80	3.00	BK Vein
SB-2026-021	274.80	275.60	0.80	14.80	BK Splay Vein
SB-2026-021	275.60	276.10	0.50	5.93	Vein Halo
SB-2026-021	276.10	277.00	0.90	0.01	Vein Halo
SB-2026-021	354.50	355.75	1.25	0.73	Vein Halo
SB-2026-021	355.75	356.45	0.70	0.12	Vein Halo
SB-2026-021	356.45	357.00	0.55	5.28	BKN Vein
SB-2026-022	125.90	126.40	0.50	4.65	Vein Halo
SB-2026-022	126.40	127.00	0.60	11.00	Untargeted Vein
SB-2026-022	127.00	128.00	1.00	0.38	Vein Halo
SB-2026-022	385.15	386.00	0.85	1.07	BKN Vein
SB-2026-022	386.00	386.50	0.50	18.90	BKN Vein
SB-2026-022	386.50	387.25	0.75	0.05	Vein Halo
SB-2026-023	130.70	131.30	0.60	3.33	Untargeted Vein
SB-2026-023	131.30	132.00	0.70	9.45	Untargeted Vein
SB-2026-023	132.00	132.65	0.65	5.48	Untargeted Vein
SB-2026-023	132.65	133.25	0.60	6.10	Vein Halo
SB-2026-023	207.00	208.20	1.20	0.01	Vein Halo
SB-2026-023	208.20	208.75	0.55	1.18	Vein Halo
SB-2026-023	208.75	209.25	0.50	6.74	Untargeted Vein
SB-2026-023	214.30	214.90	0.60	6.20	Untargeted Vein
SB-2026-023	214.90	215.40	0.50	7.27	Vein Halo
SB-2026-023	215.40	216.60	1.20	0.56	Vein Halo
SB-2026-023	269.60	270.70	1.10	0.34	Vein Halo
SB-2026-023	270.70	271.30	0.60	0.75	Vein Halo
SB-2026-023	271.30	271.80	0.50	21.30	BK Vein
SB-2026-023	285.30	285.80	0.50	7.75	Untargeted Vein
SB-2026-023	285.80	286.40	0.60	0.18	Vein Halo
SB-2026-023	286.40	287.40	1.00	0.12	Vein Halo

Bralorne Gold Project - 2026 Diamond Drilling Top Intercepts Table					
Drill Hole Name	From (m)	To (m)	Interval (m)	Au (g/t)	Interpreted Structure
SB-2026-024	123.00	123.75	0.75	4.68	Vein Halo
SB-2026-024	123.75	124.30	0.55	6.43	Untargeted Vein
SB-2026-024	124.30	125.40	1.10	0.17	Vein Halo
SB-2026-025A	90.30	91.00	0.70	53.10	Untargeted Vein
SB-2026-025A	91.00	91.50	0.50	0.12	Vein Halo
SB-2026-025A	91.50	92.70	1.20	0.13	Vein Halo
SB-2026-025A	118.65	119.30	0.65	7.82	Untargeted Vein
SB-2026-025A	119.30	120.00	0.70	5.95	Vein Halo
SB-2026-025A	120.00	121.00	1.00	0.04	Vein Halo
SB-2026-026	230.60	231.20	0.60	0.88	Vein Halo
SB-2026-026	231.20	231.90	0.70	6.26	Untargeted Vein
SB-2026-026	231.90	232.80	0.90	0.19	Vein Halo
SB-2026-027	164.20	165.00	0.80	12.20	Untargeted Vein
SB-2026-027	165.00	165.85	0.85	8.23	Untargeted Vein
SB-2026-027	165.85	166.45	0.60	16.10	Vein Halo
SB-2026-027	385.75	386.55	0.80	2.11	Vein Halo
SB-2026-027	386.55	387.60	1.05	5.93	Vein Halo
SB-2026-027	387.60	388.45	0.85	0.22	Vein Halo
SB-2026-028	355.80	356.45	0.65	1.99	BK Vein
SB-2026-028	356.45	357.00	0.55	6.25	BK Vein
SB-2026-028	357.00	357.50	0.50	17.10	BK Vein
SB-2026-028	357.50	358.15	0.65	7.27	BK Vein
SB-2026-029	103.20	103.90	0.70	10.00	Untargeted Vein
SB-2026-029	103.90	104.90	1.00	1.66	Vein Halo
SB-2026-029	104.90	105.50	0.60	6.29	Untargeted Vein
SB-2026-029	384.80	385.60	0.80	0.46	Vein Halo
SB-2026-029	385.60	386.20	0.60	6.29	BK Vein
SB-2026-029	386.20	386.75	0.55	5.38	BK Vein
SB-2026-029	386.75	387.30	0.55	0.15	Vein Halo
SB-2026-030	118.10	119.10	1.00	2.91	Vein Halo
SB-2026-030	119.10	119.60	0.50	6.01	Vein Halo
SB-2026-030	119.60	120.10	0.50	3.06	Vein
SB-2026-030	287.00	287.60	0.60	9.93	BK Vein
SB-2026-030	287.60	288.20	0.60	0.46	Vein Halo
SB-2026-030	288.20	289.10	0.90	0.05	Vein Halo
UB-2026-026	42.30	42.80	0.50	0.35	Alhambra Vein
UB-2026-026	42.80	43.40	0.60	3.76	Alhambra Vein
UB-2026-026	43.40	43.95	0.55	26.50	Alhambra Vein
UB-2026-026	43.95	44.55	0.60	6.17	Alhambra Vein

Bralorne Gold Project - 2026 Diamond Drilling Top Intercepts Table					
Drill Hole Name	From (m)	To (m)	Interval (m)	Au (g/t)	Interpreted Structure
UB-2026-026	166.15	167.00	0.85	0.09	Vein Halo
UB-2026-026	167.00	167.55	0.55	7.57	Untargeted Vein
UB-2026-026	167.55	168.40	0.85	0.04	Vein Halo
UB-2026-026	296.65	297.65	1.00	0.01	Vein Halo
UB-2026-026	297.65	298.15	0.50	0.69	Vein Halo
UB-2026-026	298.15	298.70	0.55	10.30	Prince Vein
UB-2026-027A	159.00	159.60	0.60	0.01	Vein Halo
UB-2026-027A	159.60	160.25	0.65	5.56	Alhambra Vein
UB-2026-027A	160.25	161.00	0.75	0.01	Vein Halo
UB-2026-027A	265.70	266.20	0.50	12.30	BK-9870 Vein
UB-2026-027A	266.20	266.70	0.50	1.42	BK-9870 Vein
UB-2026-027A	266.70	267.20	0.50	4.22	BK-9870 Vein
UB-2026-027A	267.20	268.05	0.85	0.59	BK-9870 Vein
UB-2026-027A	274.45	275.00	0.55	20.30	Vein Halo
UB-2026-027A	275.00	275.50	0.50	2.61	Untargeted Vein
UB-2026-027A	275.50	276.10	0.60	0.31	Untargeted Vein
UB-2026-027A	276.10	276.60	0.50	0.01	Vein Halo
UB-2026-027A	325.95	326.60	0.65	8.09	M2 Vein
UB-2026-027A	326.60	327.15	0.55	4.90	M2 Vein
UB-2026-027A	327.15	327.65	0.50	3.43	M2 Vein
UB-2026-027A	327.65	328.35	0.70	3.44	M2 Vein
UB-2026-027A	328.35	328.95	0.60	7.97	Vein Halo
UB-2026-027A	328.95	329.50	0.55	6.25	M2 Vein
UB-2026-027A	329.50	330.10	0.60	0.28	Vein Halo
UB-2026-027A	330.10	331.05	0.95	8.81	Vein Halo
UB-2026-027A	331.05	332.00	0.95	14.20	Vein Halo
UB-2026-027A	332.00	332.50	0.50	19.50	Vein Halo
UB-2026-027A	332.50	333.00	0.50	6.61	M2 Vein
UB-2026-027A	333.00	333.50	0.50	1.70	M2 Vein
UB-2026-027A	334.75	335.70	0.95	0.01	Vein Halo
UB-2026-027A	335.70	336.20	0.50	1.69	Vein Halo
UB-2026-027A	336.20	336.75	0.55	7.52	Untargeted Vein
UB-2026-028	199.00	199.90	0.90	5.77	Vein Halo
UB-2026-028	199.90	200.70	0.80	0.33	Vein Halo
UB-2026-028	200.70	201.55	0.85	1.32	Untargeted Vein
UB-2026-029	301.85	302.85	1.00	1.66	Vein Halo
UB-2026-029	302.85	303.35	0.50	1.10	Vein Halo
UB-2026-029	303.35	303.85	0.50	178.00	Untargeted Vein
UB-2026-030	169.00	169.55	0.55	1.30	Untargeted Vein

Bralorne Gold Project - 2026 Diamond Drilling Top Intercepts Table					
Drill Hole Name	From (m)	To (m)	Interval (m)	Au (g/t)	Interpreted Structure
UB-2026-030	169.55	170.05	0.50	5.90	Vein Halo
UB-2026-030	170.05	171.05	1.00	0.01	Vein Halo
UB-2026-031	104.35	105.00	0.65	2.80	Vein Halo
UB-2026-031	105.00	105.55	0.55	6.24	Vein Halo
UB-2026-031	105.55	106.05	0.50	0.58	BK Vein
UB-2026-031	106.05	106.60	0.55	2.08	Vein Halo
UB-2026-031	193.60	194.15	0.55	6.25	Untargeted Vein
UB-2026-031	194.15	195.00	0.85	0.66	Untargeted Vein
UB-2026-031	195.00	196.00	1.00	0.01	Vein Halo
UB-2026-031	237.00	237.50	0.50	3.90	Vein Halo
UB-2026-031	237.50	238.00	0.50	2.42	Vein Halo
UB-2026-031	238.30	238.80	0.50	5.59	Untargeted Vein
UB-2026-031	238.80	239.50	0.70	0.39	Vein Halo
UB-2026-031	259.55	260.35	0.80	31.30	Untargeted Vein
UB-2026-031	260.35	260.90	0.55	5.56	Untargeted Vein
UB-2026-031	260.90	261.80	0.90	0.03	Vein Halo
UB-2026-032B	No Significant intercept				
UB-2026-033	26.65	27.65	1.00	0.08	Vein Halo
UB-2026-033	27.65	28.15	0.50	0.43	Vein Halo
UB-2026-033	28.15	28.65	0.50	5.95	Untargeted Vein
UB-2026-033	269.10	269.60	0.50	12.20	Vein Halo
UB-2026-033	269.60	270.10	0.50	1.09	BK Vein
UB-2026-033	270.10	270.60	0.50	2.60	BK Vein
UB-2026-033	270.60	271.10	0.50	3.44	BK Vein
UB-2026-033	271.10	271.60	0.50	0.78	Vein Halo
UB-2026-033	271.60	272.60	1.00	21.90	Vein Halo
UB-2026-034A	77.90	78.40	0.50	0.61	Vein Halo
UB-2026-034A	78.40	79.00	0.60	111.00	BK Vein
UB-2026-034A	79.00	79.50	0.50	7.81	BK Vein
UB-2026-034A	79.50	80.25	0.75	2.18	BK Vein
UB-2026-034A	258.85	259.45	0.60	0.49	Vein Halo
UB-2026-034A	259.45	260.05	0.60	10.60	King Vein
UB-2026-034A	260.05	260.55	0.50	0.28	Vein Halo
UB-2026-034A	260.55	261.10	0.55	0.02	Vein Halo
UB-2026-035	76.70	77.20	0.50	0.01	Vein Halo
UB-2026-035	77.20	77.90	0.70	0.26	Vein Halo
UB-2026-035	77.90	78.40	0.50	29.50	Alhambra Vein
UB-2026-035	78.40	78.95	0.55	1.47	Vein Halo
UB-2026-035	203.00	203.50	0.50	0.85	Vein Halo

Bralorne Gold Project - 2026 Diamond Drilling Top Intercepts Table					
Drill Hole Name	From (m)	To (m)	Interval (m)	Au (g/t)	Interpreted Structure
UB-2026-035	203.50	204.00	0.50	6.29	Untargeted Vein
UB-2026-035	204.00	204.60	0.60	1.06	Untargeted Vein
UB-2026-035	204.60	205.10	0.50	1.10	Vein Halo
UB-2026-035	206.70	207.65	0.95	0.50	Untargeted Vein
UB-2026-035	207.65	208.15	0.50	6.33	Untargeted Vein
UB-2026-035	208.15	208.80	0.65	1.49	Untargeted Vein
UB-2026-036	9.60	10.10	0.50	0.06	Vein Halo
UB-2026-036	10.10	10.60	0.50	5.52	Vein Halo
UB-2026-036	10.60	11.20	0.60	4.79	Untargeted Vein
UB-2026-036	11.20	11.70	0.50	0.89	Untargeted Vein
UB-2026-037	53.25	53.80	0.55	1.89	Alhambra Vein
UB-2026-037	53.80	54.45	0.65	3.45	Alhambra Vein
UB-2026-037	54.45	55.10	0.65	8.16	Alhambra Vein
UB-2026-037	55.10	55.75	0.65	1.25	Vein Halo
UB-2026-037	100.30	101.20	0.90	1.49	Vein Halo
UB-2026-037	101.20	101.90	0.70	2.22	BK Vein
UB-2026-037	101.90	102.60	0.70	7.56	Vein Halo
UB-2026-037	129.25	129.85	0.60	0.19	Vein Halo
UB-2026-037	129.85	130.40	0.55	7.64	Untargeted Vein
UB-2026-037	130.40	131.00	0.60	1.14	Vein Halo
UB-2026-037	131.00	131.75	0.75	1.44	Vein Halo
UB-2026-037	182.00	182.65	0.65	7.30	BK-9870 Vein
UB-2026-037	182.65	183.30	0.65	1.43	Vein Halo
UB-2026-037	183.30	184.00	0.70	0.02	Vein Halo
UB-2026-037	276.00	276.75	0.75	4.07	Vein Halo
UB-2026-037	276.75	277.40	0.65	2.98	Vein Halo
UB-2026-037	277.40	278.00	0.60	2.03	Vein Halo
UB-2026-037	278.00	278.70	0.70	6.19	Untargeted Vein
UB-2026-037	317.50	318.00	0.50	10.70	King Vein
UB-2026-037	318.50	319.00	0.50	0.01	Vein Halo
UB-2026-037	319.00	319.50	0.50	1.12	King Vein
UB-2026-037	319.50	320.00	0.50	5.88	Vein Halo
UB-2026-037	332.50	333.15	0.65	0.01	Vein Halo
UB-2026-037	333.15	333.70	0.55	18.20	Untargeted Vein
UB-2026-037	333.70	334.50	0.80	0.03	Vein Halo
UB-2026-038	No Significant intercept				
UB-2026-039	86.50	87.20	0.70	1.98	BK Vein
UB-2026-039	87.20	88.15	0.95	0.35	Vein Halo
UB-2026-039	88.15	88.80	0.65	29.90	Vein Halo

Bralorne Gold Project - 2026 Diamond Drilling Top Intercepts Table					
Drill Hole Name	From (m)	To (m)	Interval (m)	Au (g/t)	Interpreted Structure
UB-2026-039	174.20	174.90	0.70	5.98	Vein Halo
UB-2026-039	174.90	175.45	0.55	4.79	Untargeted Vein
UB-2026-039	175.45	176.10	0.65	5.47	Untargeted Vein
UB-2026-039	176.10	177.00	0.90	1.51	Untargeted Vein
UB-2026-040	No Significant intercept				
UB-2026-041	201.15	201.70	0.55	7.16	Untargeted Vein
UB-2026-041	201.70	202.40	0.70	36.50	Untargeted Vein
UB-2026-041	202.40	203.35	0.95	5.36	Untargeted Vein
UB-2026-041	205.20	205.90	0.70	8.09	Untargeted Vein
UB-2026-041	205.90	206.60	0.70	7.12	Untargeted Vein
UB-2026-041	206.60	207.45	0.85	1.24	Vein Halo
UB-2026-041	207.45	208.30	0.85	7.82	Untargeted Vein
UB-2026-041	208.30	208.80	0.50	5.29	Vein Halo
UB-2026-042	132.00	132.65	0.65	1.37	Vein Halo
UB-2026-042	132.65	133.25	0.60	8.28	Vein Halo
UB-2026-042	133.25	133.85	0.60	2.48	Vein Halo
UB-2026-042	133.85	134.50	0.65	16.30	55 Vein
UB-2026-043	No Significant intercept				
UB-2026-044	111.70	112.70	1.00	0.09	Vein Halo
UB-2026-044	112.70	113.20	0.50	0.20	Vein Halo
UB-2026-044	113.20	113.70	0.50	20.10	55 Vein
UB-2026-045	No Significant intercept				
Note: The bolded assay samples in this table have been used for the composite assay values and intervals reported in the Highlights section above and in the cross-section intercept labels below. True thickness of structures in this release may range from 9% to 95% of the apparent thicknesses.					

Bralorne Gold Project - Drill Collar Locations Table (values rounded to nearest metre)			
Drill Hole Name	UTM Easting	UTM Northing	Elevation (m)
SB-2026-021	513605	5625286	1263
SB-2026-022	513606	5625287	1263
SB-2026-023	513605	5625286	1263
SB-2026-024	513607	5625286	1263
SB-2026-025A	513607	5625286	1263
SB-2026-026	513605	5625286	1263
SB-2026-027	513605	5625286	1263
SB-2026-028	513605	5625285	1263
SB-2026-029	513605	5625285	1263
SB-2026-030	513605	5625285	1263
UB-2026-026	513308	5625387	1039

Bralorne Gold Project - Drill Collar Locations Table (values rounded to nearest metre)			
Drill Hole Name	UTM Easting	UTM Northing	Elevation (m)
UB-2026-027A	513323	5625269	1094
UB-2026-028	513307	5625386	1040
UB-2026-029	513323	5625270	1094
UB-2026-030	513322	5625269	1093
UB-2026-031	513306	5625386	1040
UB-2026-032B	513322	5625269	1093
UB-2026-033	513323	5625270	1093
UB-2026-034A	513307	5625387	1039
UB-2026-035	513309	5625387	1038
UB-2026-036	513323	5625270	1093
UB-2026-037	513306	5625386	1040
UB-2026-038	513322	5625269	1093
UB-2026-039	513309	5625387	1038
UB-2026-040	513571	5624926	1055
UB-2026-041	513306	5625386	1039
UB-2026-042	513570	5624926	1055
UB-2026-043	513307	5625387	1039
UB-2026-044	513569	5624926	1055
UB-2026-045	513571	5624926	1056

Bralorne Gold Project - Drill Collar Orientations Table (negative dip points down from the horizontal)			
Drill Hole Name	Azimuth (°)	Dip (°)	Total Depth (m)
SB-2026-021	337.00	-53.00	420.00
SB-2026-022	345.70	-56.30	405.00
SB-2026-023	351.00	-54.50	384.00
SB-2026-024	359.00	-55.50	312.00
SB-2026-025A	8.00	-54.50	300.00
SB-2026-026	319.00	-57.30	402.00
SB-2026-027	327.00	-62.00	399.00
SB-2026-028	338.50	-64.00	384.00
SB-2026-029	354.00	-65.00	399.00
SB-2026-030	7.00	-58.00	302.00
UB-2026-026	356.00	4.00	351.00
UB-2026-027A	315.30	9.70	351.00
UB-2026-028	321.50	12.90	267.00
UB-2026-029	314.80	0.00	351.00
UB-2026-030	299.50	-5.00	347.00

Bralorne Gold Project - Drill Collar Orientations Table (negative dip points down from the horizontal)			
Drill Hole Name	Azimuth (°)	Dip (°)	Total Depth (m)
UB-2026-031	310.00	15.50	362.00
UB-2026-032B	309.70	-14.80	315.00
UB-2026-033	314.90	-21.90	285.00
UB-2026-034A	345.50	3.00	303.00
UB-2026-035	25.40	-23.40	243.00
UB-2026-036	314.50	-16.00	147.00
UB-2026-037	310.00	11.20	381.00
UB-2026-038	312.00	-20.50	321.00
UB-2026-039	328.50	7.50	231.00
UB-2026-040	155.75	-29.50	141.20
UB-2026-041	322.00	4.50	276.00
UB-2026-042	175.20	-39.50	150.00
UB-2026-043	354.60	-11.50	162.00
UB-2026-044	196.80	-35.50	141.00
UB-2026-045	158.80	-18.00	168.00

For further information, please contact:

Lindsay Dunlop
 Vice President, Investor Relations
lindsay.dunlop@taliskerresources.com
 +1 647 274 8975

Qualified Person

The technical information contained in this news release has been reviewed and approved by Kyle Orr, P.Geo., Talisker's Vice President Exploration, who is a Qualified Person as defined under Canadian National Instrument 43-101, Standards of Disclosure for Mineral Projects. Mr. Orr is not independent of the Company in accordance with NI 43-101.

About Talisker Resources Ltd.

Talisker (taliskerresources.com) is a junior resource company involved in the exploration and development of gold projects in British Columbia, Canada. Talisker's flagship asset is the high-grade, fully permitted Bralorne Gold Project where the Company is producing at the Mustang Mine. Talisker projects also include the Ladner Gold Project, an advanced stage project with significant exploration potential from an historical high-grade producing gold mine and the Spences Bridge Project where the Company has a significant landholding in the emerging Spences Bridge Gold Belt, and several other early-stage Greenfields projects.

Sample Preparation and QAQC

Drill core in this new release from the Bralorne Gold Project was drilled in NQ size (47.6mm) or HQ size (63.5mm). Drill core samples are a minimum of 50 cm and a maximum of 150 cm long along the core axis. Samples are focused on an interval of interest, such as a vein or zone of mineralization. Shoulder samples bracket the interval of interest such that a total sampled core length of not less than 3m both above and below the interval of interest must be assigned. Sample QAQC measures of unmarked certified reference materials (CRMs), blanks, and duplicates are inserted into the sample sequence and makeup 10% of the samples submitted to the lab for holes reported in this release. Actlabs performs sample preparation and analyses in Kamloops, British Columbia. Drill core sample preparation includes drying in an oven, crushing of the sample up to 80% passing 2 mm, sample splitting using a riffle splitter, and pulverizing a 1,000 g split to 95% passing 105 microns (ACT code RX1+1000). Gold in diamond drill core is analyzed by fire assay and atomic absorption spectroscopy (AAS) of a 50g sample (ACT code 1A2-50-ORE). Gold assay technique 1A2-50-ORE has an upper detection limit of 100 ppm. Any sample that produces an over-limit gold value via the gold assay technique is sent for gravimetric finish (ACT method 1A3-50) which has an upper detection limit of 10,000 ppm Au. Where asymmetrically distributed native gold mineralization is observed by the core logging geologist, a “cut-line” may be drawn along the length of the core to guide the core cutter to evenly bisect that mineralization thereby helping to ensure a representative sample. Where no sample cut line is drawn by the geologist the standard procedure is to preserve the oriented core “backside line” or “bottom of hole” mark in the core box. Duplicates were sampled by taking a ¼ core primary sample and a ¼ core as the duplicate sample, thereby leaving a ½ core representative sample in the box. A photo archive exists for all core from before sampling.

Caution Regarding Forward Looking Statements

Certain statements contained in this press release constitute forward-looking information. The use of any of the words “could”, “intend”, “expect”, “believe”, “will”, “projected”, “estimated” and similar expressions and statements relating to matters that are not historical facts are intended to identify forward-looking information and are based on Talisker’s current belief or assumptions as to the outcome and timing of such future events. Various assumptions or factors are typically applied in drawing conclusions or making the forecasts or projections set out in forward-looking information. Those assumptions and factors are based on information currently available to Talisker. Although such statements are based on reasonable assumptions of Talisker’s management, there can be no assurance that any conclusions or forecasts will prove to be accurate.

Forward looking information involves known and unknown risks, uncertainties and other factors which may cause the actual results, performance, or achievements to be materially different from any future results, performance or achievements expressed or implied by the forward-looking information. Such factors include risks inherent in the exploration and development of mineral deposits, including risks relating to changes in project parameters as plans continue to be redefined, risks relating to variations in grade or recovery rates, risks relating to changes in mineral prices and the worldwide demand for and supply of minerals, risks related to increased competition and current global financial conditions, access and supply risks, reliance on key personnel, operational risks, regulatory risks, including risks relating to the acquisition of the necessary licenses and permits, financing, capitalization and liquidity risks, title and environmental risks and risks relating to the failure to receive all requisite shareholder and regulatory approvals.

The forward-looking information contained in this release is made as of the date hereof, and Talisker is not obligated to update or revise any forward-looking information, whether as a result of new information, future events or otherwise, except as required by applicable securities laws. Because of the risks, uncertainties and

assumptions contained herein, investors should not place undue reliance on forward-looking information. The foregoing statements expressly qualify any forward-looking information contained herein.

Figure 1: Bralorne Gold Project – Location Map





Figure 2: Vein Intersections for SB-2026-021, SB-2026-023 and SB-2026-028



SB-2026-021 – BK Vein Intercept




SB-2026-023 – BK Vein Intercept




SB-2026-028 – BK Vein Intercept

Figure 3: Vein Intersections for UB-2026-026, UB-2026-034A and UB-2026-035



UB-2026-026 – Alhambra Vein Intercept




UB-2026-034A – BK Vein Intercept



UB-2026-035 – Alhambra Vein Intercept

Figure 4: Vein intersections for UB-2026-027A and UB-2026-033






UB-2026-027A – M2 Vein Intercept



UB-2026-033 – BK Vein Intercept

Figure 5: Vein Intersections for UB-2026-042, UB-2026-044



UB-2026-042 – 55 Vein Intercept



UB-2026-044 – 55 Vein Intercept

Figure 7: Mustang and Bralorne West Plan View with 2026 Surface and Underground Drill holes




Figure 8: Mustang Mine Oblique View with 2026 Underground and Surface Drill holes




Figure 9: Bralorne West Zone Oblique View with 2026 Underground and Surface Drill holes

